

Lexmark XS950 Family colour MFP



Model shown features additional options

Digs deep. Does more. Dazzles with colour.



Colour



Touch
Screen



Copy



Scan



Fax



Solutions




A3
(11x17)



Up to
55 ppm



Duplex



Network

LEXMARK
TM



Why Lexmark?

Founded from an IBM heritage in Lexington, Kentucky, in 1991, Lexmark is one of the few American companies to own, develop and market inkjet, laser and colour laser print technologies. Lexmark is poised to deliver on its promise to produce quality, dependable products well into the future.

Lexmark XS950 Family highlights



Make a lasting impression with award-winning colour.

The documents you print define an important image – yours. That's why Lexmark colour MFPs help businesses be more productive and stand out with vibrant colour. With the ability to print professional quality colour in-house, you can add instant impact and save costs by virtually eliminating the need to outsource print jobs. Lexmark also offers a host of colour-access and control tools to manage cost.



Eco-responsible. Printing responsibly means everyone wins – your business, your budget and the environment. Lexmark's award-winning products are designed for ease of use, high quality output and reliable performance, with innovative capabilities that help you minimise the number of cartridges you use over the life of the printer and conserve paper and energy. Our goal is to design, package and deliver innovative products and solutions in an environmentally responsible manner.

The Lexmark Cartridge Collection Program is active around the world providing a variety of methods for free returns of your empties to Lexmark or our collection partners. Our goal: Make it easy to do the right thing.



Environmental protection is a shared responsibility.

Through our work with industry groups, Lexmark helps guide the formation of standards and guiding principles for environmental sustainability.

Our memberships include:

- AeA Europe
- American National Standards Institute (ANSI)
- Ecma International
- Electronics Industry Citizenship Coalition (EICC)
- European Information & Communications Technology Industry Association (EICTA)
- Information Technology Industry Council (ITI)
- ITI Environmental Leadership Council



Lexmark XS950 Family overview




Affordable Colour Output. The Lexmark XS950 Family delivers high quality A3 colour multifunction performance in an affordable, compact design. Enjoy the benefits of vibrant, professional-quality output on a wide variety of media, allowing you to do more colour printing in-house.

- PANTONE® calibration for consistent colour tones
- Named Colour Replacement for easy colour matching
- Supports SRA 3 media format (320 x 450 mm)
- Lexmark Colour Care Technology to manage colour usage and control costs



Easy and Intuitive. The Lexmark XS950 Family is designed for easy operation and maintenance.

- Extra large, easy to navigate 25.9 cm colour touch screen provides audible and tactile feedback to make completing tasks intuitive
- Print and scan preview features help you select documents or specific pages within a document
- Ability to change settings, such as duplex, at the device
- Robust connectivity makes it easy to integrate into almost any network environment
- Sleep Button and Hibernate Mode to reduce energy costs
- Device management software available



Business Productivity. The Lexmark XS950 Family combines high-performance printing, copying, scanning and faxing with time-saving solution applications designed to boost your productivity.

- Print and copy speeds as fast as 55 ppm
- Advanced copy functions include the ability to interrupt long print runs to make a quick copy, and proof the first copy set before completing your copy job
- Scan to multiple destinations, including scan to email, scan to FTP, scan to fax, scan to network, and more
- Preloaded applications to drive greater efficiency, and Lexmark Embedded Solutions Framework to further extend the capabilities of the device

Save time and money through solutions

Reduce unnecessary printing and simplify work processes through Lexmark solutions. The XS950 Family features the Lexmark Embedded Solutions Framework (eSF), our platform that enables you to add a wide range of software applications directly onto the device. Solutions are designed with your productivity in mind, helping you streamline—or even eliminate—paper intensive business processes.

Lexmark XS950 Family solutions

The right touch. The Lexmark e-Task colour touch screen is a key access point to your device. The extra large customisable 25.9 cm interface gives you the ability to preview thumbnails of documents prior to printing, as well as change print jobs at the device. You can even view, select and print specific pages within a document directly from the touch screen. Its easy-to-use, intuitive navigation provides fast access to the functions and shortcuts.



The following are a few of the Lexmark solutions available through your authorised Lexmark Business Solutions Dealers:



Showroom

Display a customisable, scrolling slideshow on the colour touch screen to promote your business or products, or to communicate important messages to your customers or employees.



Card Copy

Save time and effort in copying identification cards, licenses and insurance cards by automatically scanning, enlarging and copying both sides of a two-sided card onto one side of a sheet of paper.



Background and Idle Screen

Change the touch screen background to your corporate logo, custom images, a unique message or select from preloaded screens.

The following are solutions that come preloaded on the XS950 Family:



Forms and Favorites

Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.



Scan to Network

Scan a hardcopy document and route the image to one of 30 predefined personal or public shared network folders.



Lexmark XS950 Family vertical solutions



Professional quality output is only part of the story

By leveraging our industry expertise, you can generate efficiency and increase productivity across business processes to gain the power you need to move ahead. Lexmark technology solutions are tailored to your business environment – where business interactions and decisions are happening.

Empower your employees with workflow solutions that refine work processes, capture critical data, and deliver information to the right place, at the right time, and in the right format.

Contact your Lexmark Business Solutions Dealer for specific vertical solutions*. Solutions are customised through your dealer.

* Optional software available. Licensing fees may apply.



Lexmark's standard security features for your network, data and devices.

Output security has never been more important to businesses of all sizes. Lexmark's security functions include device management, device hardening and device operation. Strong multilayered security is built-in.

Device management tools include administrative access and passwords, HTTPS, SNMPv3, IP security (IPSec) and 802.1x support to remotely monitor and manage device usage.

Device hardening includes port filtering, TCP connection filtering, hard drive encryption, hard disk wiping, and digitally signed firmware updates which enhances the security of the device's network interface.

Device operation utilises user authentication, address book lookup via LDAP over SSL and device lockout for protection of user information.

Lexmark has shown its strength and leadership with respect to security by:

- Forming and chairing the group that created the IEEE 2600 standards for security on hardcopy devices.
- Becoming the first hardcopy device manufacturer to take a holistic approach with the National Information Assurance Partnership (NIAP) Common Criteria evaluation.

Lexmark XS950 Family key features



Lexmark XS950de colour MFP with optional Booklet Finisher and 2,000-Sheet High Capacity Feeder.

Features to optimise your work



1) Intuitive colour touch screen

The extra large 25.9 cm colour touch screen allows you to operate your MFP with ease through intuitive navigation and easy access to workflow solutions and shortcuts.



2) Lexmark solutions

Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.



3) Direct USB

The front USB port allows for convenient walk-up preview, printing and scanning, and is compatible with many printable image file formats.



4) Flexible input capacity

Choose the configuration that best fits your needs, up to a maximum of 5,140 sheets.



5) Exceptional media handling


Ultra-reliable paper feeding lets you load up to six different types of media; to support SRA 3 media (320 x 450 mm) and media weight of up to 300 g/m².



6) Advanced finishing options

Easily create professional output in-house with flexible finishing options, including multi-position stapling, hole punch, expanded output stacking, and booklet capability.

Lexmark XS950 Family ordering information



- Standard
- Optional

Compatible on the XS950 colour MFP Family

Part # 22Z0651 22Z0178	Model Lexmark XS950de Lexmark XS955de	1025042 1025043 14F0245 30G0287 30G0828 30G0825 30G0826 30G0827	512MB DDR2-DRAM (XS950de)* 1024MB DDR2-DRAM (XS950de)* 256MB Flash Card Arabic Font Card Japanese Font Card Korean Font Card Simplified Chinese Font Card Traditional Chinese Font Card	2354236 2354237 2354238 2354239	X950 3-Years Total Onsite Service, Next Business Day (XS950de)* X950 4-Years Total Onsite Service, Next Business Day (XS950de)* X950 5-Years Total Onsite Service, Next Business Day (XS950de)* X950 1-Year Onsite Service Renewal, Next Business Day (XS950de)*
Part # 22Z0008 22Z0009 22Z0010 22Z0011 C950X71G C950X73G C950X76G 25A0013 21Z0357	Laser Toner/Print Cartridge XS955 Black Extra High Yield Toner Cartridge (32K) XS955 Cyan Extra High Yield Toner Cartridge (22K) XS955 Magenta Extra High Yield Toner Cartridge (22K) XS955 Yellow Extra High Yield Toner Cartridge (22K) X950/2/4 Photoconductor Unit 1-Pack X950/2/4 Photoconductor Unit 3-Pack X950/2/4 Waste Toner Bottle Staple Cartridges (3 pack) Saddle Staple Cartridges (4 pack)	Part # 22Z0186 22Z0187 22Z0185 57X9000	Application Solutions X950, X952, X954 Card for IPDS X950, X952, X954 Card for PRESCRIBE Emulation X950, X952, X954 Forms and Bar Code Card Lexmark PrintCryption Card	Part # 40X7560 40X7569 40X7540 40X7530	User Replaceable Parts C950, X95x 480K Maintenance Kit C950, X95x Fuser Maintenance Kit, 320K, 220-240V C950, X95x 160K Maintenance Kit X95x ADF Maintenance Kit
Part # 22Z0014 22Z0013 22Z0012 22Z0015 22Z0175 22Z0176 22Z0205	Paper Handling C950, X95x 2520-Sheet Tandem Tray Module C950, X95x 3x520-Sheet Drawer Stand C950, X95x 520-Sheet Drawer Stand C950, X95x 2000-Sheet High Capacity Feeder C950, X95x 3500-Sheet Finisher (4-Hole) C950, X95x Booklet Finisher (4-Hole) C950, X95x Banner Media Tray	Part # 27X0030 14F0042 1021294 14F0000 1021231 14F0100	Connectivity MarkNet N8250 802.11b/g/n Wireless Print Server MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Server USB (2 Meter) Cable Parallel 1284-B Interface Card Parallel (10') Cable RS-232C Serial Interface Card	Part # 2354242 2354298	Installation Service X950 Installation Service (XS950de)* X954 Installation Service (XS955de)*
Part # 1025041	Memory Options 256MB DDR2-DRAM (XS950de)*	Part # 2354235	Extended Warranties X950 2-Years Total Onsite Service, Next Business Day (XS950de)*		

* Available on this model

Lexmark XS955de product specifications



Product specifications	Lexmark XS950de		Lexmark XS955de	
Printing				
Display	Lexmark e-Task 25.9 cm (10.2-inch) colour touch screen			
Print Speed: Up to	Black: 45 ppm / Colour: 40 ppm		Black: 55 ppm / Colour: 50 ppm	
Time to First Page: As fast as	Black: 5.5 seconds / Colour: 7.7 seconds		Black: 5.0 seconds / Colour: 7.2 seconds	
Print Resolution	Black: 2400 Image Quality, 1200 x 1200 dpi / Colour: 2400 Image Quality, 1200 x 1200 dpi			
Memory / Processor	Standard: 1024 MB / Maximum: 2048 MB		Standard: 2048 MB / Maximum: 2048 MB	
Hard Disk	Included in configuration			
Recommended Monthly Page Volume ²	5000 - 33000 pages			
Maximum Monthly Duty Cycle: Up to ³	200000 pages per month		250000 pages per month	
Copying				
Copy Speed: Up to	Black: 45 cpm / Colour: 40 cpm		Black: 55 cpm / Colour: 50 cpm	
Time to First Copy: As fast as	Black: 7.1 seconds / Colour: 10.4 seconds		Black: 6.4 seconds / Colour: 9.9 seconds	
Reduce / Enlarge Range	25 - 400%			
Scanning				
Duplex Scan Speed: Up to	A4/Ltr, Black: 38 / 37 sides per minute - A4/Ltr, Colour: 38 / 37 sides per minute			
Simplex Scan Speed: Up to	A4/Ltr, Black: 68 / 70 sides per minute - A4/Ltr, Colour: 53 / 53 sides per minute	A4/Ltr, Black: 68 / 70 sides per minute - A4/Ltr, Colour: 52 / 52 sides per minute		
Scanner Type / ADF Scan	Flatbed scanner with ADF / RADF (reversing Duplex) / 110 pages 75 gsm bond			
Optical Scanning Resolution	600 X 600 ppi			
Faxing				
Modem Speed	33.6 Kbps			
Supplies				
Supplies Yield ¹	32,000-page Black Toner Cartridge, 22,000-page Colour (CMY) Toner Cartridges			
Cartridge(s) Shipping with Product ⁴	16,000-page Black Starter Toner Cartridge, 11,000-page Colour (CMY) Starter Toner Cartridges			
Paper Handling				
Paper Handling Standard	520-Sheet Input Tray, 500-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder			
Paper Handling Optional	520-Sheet Drawer Stand, 2,520-Sheet Tandem Tray Module, 3 x 520-Sheet Drawer Stand, Booklet Finisher, 3,500-Sheet Finisher, Banner Media Tray, 2,000-Sheet High Capacity Feeder			
Paper Input Capacity: Up to	Standard: 620 pages 75 gsm bond / Maximum: 5140 pages 75 gsm bond			
Paper Output Capacity: Up to	Standard: 500 pages 75 gsm bond / Maximum: 3750 pages 75 gsm bond			
Media Types Supported	Refer to the Card Stock & Label Guide, Labels, Glossy paper, Envelopes, Card Stock, Plain Paper, Transparencies			
Media Sizes Supported	A6, Legal, JIS-B5, Folio, 10 Envelope, 7 3/4 Envelope, A3, A4, A5, C5 Envelope, DL Envelope, Executive, JIS-B4, Ledger, Letter, Super Tabloid, Universal, Statement, Oficio			
General				
Standard Ports	Ethernet 10/100/1000 BaseTX (RJ-45), Rear USB 2.0 Specification Hi-Speed Certified port (Type A), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB 2.0 Specification Hi-Speed Certified port (Type A)			
Optional Network Ports / Optional Local Ports	Internal MarkNet™ N8250 802.11b/g/n Wireless, Internal MarkNet™ N8130 Fiber Fast Ethernet / Parallel 1284-B Interface Card, RS-232C Serial Interface Card			
Noise Level, Operating	Print: 52 dBA / Copy: 55 dBA / Scan: 55 dBA		Print: 53 dBA / Copy: 55 dBA / Scan: 54 dBA	
Product Guarantee	1-Year Onsite Service, Next Business Day		1-Year Onsite Service	
ENERGY STAR	Yes			
Specified Operating Environment	Humidity: 15 to 85% Relative Humidity, Altitude: 0 - 2500 Meters (8,200 Feet), Temperature: 10 to 32°C (50 to 90°F)			
Size (mm. - H x W x D) / Weight (kg)	762 x 640 x 685 mm / 116.0 kg			

¹ Yield at approximately 5% coverage per colour ² "Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ³ "Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. ⁴ Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.



This product features Adobe® Flash® technology. For further information, visit <http://www.adobe.com/software/flash/about/>. All other trademarks are the property of their respective owners. Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. ENERGY STAR® is a U.S. registered mark. Information in this document is subject to change without notice. PANTONE® is a registered trademark of Pantone, Inc.